



13.5" W x 10.25" D x 8.5" H

## DESIGNED FOR TEAMS. BUILT TO LAST.

Work smarter, together with the safety labeling partner your whole team can depend on. **DuraLabel Bronco Max** allows multiple users to print signs and labels to a shared printer over a network. Produce long-lasting labels on ½" to 4" width supply to communicate safety procedures, identify hazards, mark pipes and equipment, and more.

### HASSLE-FREE SUPPLY LOADING



Print labels in seconds. Bronco Max's simplified loading system automatically recognizes supplies and calibrates settings to ensure the best print quality.



### CLEAR & BOLD RESULTS



With a high-resolution output of 300 DPI, even the smallest messages print crisp, clear, and easy to read—from ½" labels and wire wraps to 4" high-visibility signs.



### FEATURES

- Print high-quality, easy-to-read signs and labels at 300 DPI
- Built-in Ethernet allows for easy network printing
- Industry-leading label design software is included free; one license covers your entire facility
- Choose from 50+ industrial-strength supplies in dozens of colors
- Industrial cutter designed to work with hard-to-cut supplies

**ONE PRINTER. ALL USERS.**  
Design labels on any PC and print to a central location.

### QUICK-LOAD CARTRIDGE

Swap out new ribbon cartridge in seconds!



## MAXIMIZE YOUR SAFETY PROGRAM

888-4-Safety | [nationalsafety.com.jm/duralabel](http://nationalsafety.com.jm/duralabel)  
[salesteam@nationalsafety.com.jm](mailto:salesteam@nationalsafety.com.jm)



## SUPPLIES


### The most durable vinyl available

Industrial-strength vinyl supplies resist UV light, chemicals, and moisture and last for years. This continuous vinyl is available in ½", 1", 2", 3", and 4" widths in 17 standard colors.



### Ribbon


Premium quality thermal transfer ribbons are UV and chemical resistant—engineered to withstand harsh environments. Available in 7 colors. Specialty ribbons are also available.



**Premium Vinyl Five-Year Warranty:** Should labels made with DuraLabel Premium Vinyl fail within five years of the purchase date, we will provide a one-time replacement roll of the same supply. For details on DuraLabel Warranties, visit [GraphicProducts.com/warranties](http://GraphicProducts.com/warranties).

## APPLICATIONS

- Equipment & Machine Labels
- Maintenance Labels
- Shelf Labels
- Valve Tags
- Safety Labels
- Barcode Labels
- Arc Flash Labels
- 5S Labels
- Batch Labels
- HazCom 2012 Labels
- NFPA Labels
- Wire Wraps
- Pipe Markers
- OSHA Compliance



## SPECIALTY SUPPLIES

- DuraTag™ (Tag Stock)
- High-Temp
- High-Tack
- Reflective
- Self-Laminating Wire Wrap
- Shrink-Tubing
- Repositionable Tape
- Circuit Board Polyimide Tape
- Electrostatic Dissipative Tape
- Fluorescent HiViz Tape
- LN2 Poly Tape
- UL 969 Compliant Poly Tape
- Cold Storage Tape
- Extended-Life Tape



## SMART SOFTWARE INCLUDED

Get the tools you need for effortless visual communication. LabelForge PRO gives you the flexibility to start with code-compliant templates or create customized labels from scratch, all from one easy-to-use desktop software.

- Built-in templates to help comply with industry standards
- Database with information on 1,500+ chemicals
- Library of 1,800+ essential symbols for label customization
- Design labels to meet your facility's specific needs
- Free software updates keep you up to date on regulation changes



## DOUBLE-DUTY OUTPUT

DuraLabel Bronco Max conveniently shares the same tough-tested supplies as DuraLabel Toro Max. If your facility could use an additional labeling system, this Max series combo doubles your output without having to double up on supplies.



888-4-Safety | [nationalsafety.com.jm/duralabel](http://nationalsafety.com.jm/duralabel)  
[salesteam@nationalsafety.com.jm](mailto:salesteam@nationalsafety.com.jm)





# DuraLabel BRONCO<sup>®</sup> MAX

## SPECIFICATIONS

- Quick-load ribbon cartridges
- Print high-quality, easy-to-read signs and labels
- Built-in Ethernet port allows for easy network printing
- Industry-leading label design software included
- Lifetime customer service included

**5-YEAR WARRANTY** on all DuraLabel printers. Visit [GraphicProducts.com/warranty](http://GraphicProducts.com/warranty) for more information.

### PRINT MECHANISM

**Type:** Thermal transfer

**Print Speed:** up to 3" per second

**Resolution:** 300 dots per inch

**Max. Print Width:** 4.0"

**Max. Print Length:** 120"

**Cutter:** Automatic

### INTERFACE

**Buttons:** Power, Supply Feed

**Communications:** USB 2.0 (USB-B), Ethernet

### POWER REQUIREMENTS

**Power to Printer (from AC Adapter):** 24 VDC, 6.25A

**Power to AC Adapter:** 100 – 240 VAC, 50 – 60 Hz, 2.8A (max)

Different AC adapters available for worldwide usage

### OPERATING ENVIRONMENT

**Operating Temperature:** 41 °F - 104 °F (5 °C - 40 °C)

**Operation Humidity:** 30% - 85%, non-condensing

**Storage Temperature:** -4 °F - 122 °F (-20 °C - 50 °C)

**Storage Humidity:** 10% - 90%, non-condensing

### LABEL STOCK

**Types:** Continuous, Black Mark, and Die-Cut

**Width:** 0.20" minimum, 4" maximum

**Gap/Mark Height:** 0.12"

**Capacity:** varies by supply; external feed available

### RIBBON SUPPLY

**Width:** 4.17" (106 mm)

**Capacity:** 360' (110 m)

**Type:** Wax/resin, resin

### PRINTER BODY

**Dimensions:** 13.5"W x 10.25"D x 8.5"H

**Weight:** 12.5 lbs (5.67 kg), excluding supplies



Bronco Max specifications are subject to change without notice.



**NATIONAL SAFETY LTD.**  
"Your Safety is Our Concern"<sup>®</sup>

## MAXIMIZE YOUR SAFETY PROGRAM

888-4-SAFETY | [nationalsafety.com/jm/duralabel](http://nationalsafety.com/jm/duralabel)  
[salesteam@nationalsafety.com](mailto:salesteam@nationalsafety.com)



# DuraLabel Bronco Max<sup>®</sup>

## Supply List



[nationalsafety.com.jm/duralabel](http://nationalsafety.com.jm/duralabel)  
[salesteam@nationalsafety.com.jm](mailto:salesteam@nationalsafety.com.jm)  
**888-4-SAFETY**

The all new Bronco Max is your facility labeling workhorse. Built-in Ethernet allows for easy network printing with the whole team. Quick-load cartridges and auto calibration make changing out supplies easier than ever. LabelForge PRO labeling software included.



- 1/2" - 4" supply widths
- Easy to Use
- Industrial cutter

ITEM	SKU
DuraLabel Bronco Max	DLBRNCOMAX
Soft Carrying Case	DLT-SOFTCASE
Hard Carrying Case	DLT-CASE
Dust Cover	DLT-DC

### Bronco Max Accessories



Soft Carrying Case

Hard Carrying Case\*\*

Dust Cover\*\*

\*\*Printer and supplies not included.

## General Purpose

### Premium Vinyl Tape

Achieve lasting performance with this durable, versatile supply

- Works on surfaces up to 200°F
- Indoor & outdoor use
- Resistant to water, UV light, most chemicals
- Other color and size options available



Looking for  
**RIBBON?\***

	0.5" x 280'*	1" x 280'*	2" x 140'	3" x 140'	4" x 140'
White	2-T05-3001	2-T1-3001	T2-3001	T3-3001	T4-3001
Black	2-T05-3002	2-T1-3002	T2-3002	T3-3002	T4-3002
Clear	2-T05-3003	2-T1-3003	T2-3003	T3-3003	T4-3003
Battleship Gray	2-T05-3004	2-T1-3004	T2-3004	T3-3004	T4-3004
Silver Gray	2-T05-3005	2-T1-3005	T2-3005	T3-3005	T4-3005
Blue	2-T05-3006	2-T1-3006	T2-3006	T3-3006	T4-3006
Green	2-T05-3007	2-T1-3007	T2-3007	T3-3007	T4-3007
Yellow	2-T05-3008	2-T1-3008	T2-3008	T3-3008	T4-3008
Orange	2-T05-3009	2-T1-3009	T2-3009	T3-3009	T4-3009
Red	2-T05-3010	2-T1-3010	T2-3010	T3-3010	T4-3010
Purple	2-T05-3011	2-T1-3011	T2-3011	T3-3011	T4-3011
Brown	2-T05-3012	2-T1-3012	T2-3012	T3-3012	T4-3012
Pink	2-T05-3013	2-T1-3013	T2-3013	T3-3013	T4-3013
Sky Blue	2-T05-3018	2-T1-3018	T2-3018	T3-3018	T4-3018
Teal	2-T05-3019	2-T1-3019	T2-3019	T3-3019	T4-3019
Gold	2-T05-3030	2-T1-3030	T2-3030	T3-3030	T4-3030
Medium Gray	2-T05-3031	2-T1-3031	T2-3031	T3-3031	T4-3031

### Premium Ribbons

	4" x 361'
Black	M431110
White	M431111
Yellow	M431118
Green	M431121
Orange	M431122
Red	M431123
Blue	M431124

### Petroleum Resistant Ribbon

	4" x 361'
Black	M431120

### Extreme Chemical Resistant Ribbon

	4" x 298'
Black	M431136-1

\* For additional info and more ribbon options, see the Ribbons section

\* Comes in a 2-pack of 140' per roll, for a total of 280'

## Extended-Life Vinyl Tape

Create labels that withstand harsh environments

- Lasts up to 8 years outdoors
- Resistant to moisture, oil, chemicals, UV light
- 2.6 mil thick



	0.5" x 140'	1" x 140'	2" x 140'	3" x 140'	4" x 140'
<b>White</b>	T05-2601	T1-2601	T2-2601	T3-2601	T4-2601
<b>Black</b>	T05-2602	T1-2602	T2-2602	T3-2602	T4-2602
<b>Clear</b>	T05-2603	T1-2603	T2-2603	T3-2603	T4-2603
<b>Gray</b>	T05-2604	T1-2604	T2-2604	T3-2604	T4-2604
<b>Blue</b>	T05-2606	T1-2606	T2-2606	T3-2606	T4-2606
<b>Green</b>	T05-2607	T1-2607	T2-2607	T3-2607	T4-2607
<b>Yellow</b>	T05-2608	T1-2608	T2-2608	T3-2608	T4-2608
<b>Orange</b>	T05-2609	T1-2609	T2-2609	T3-2609	T4-2609
<b>Red</b>	T05-2610	T1-2610	T2-2610	T3-2610	T4-2610
<b>Brown</b>	T05-2612	T1-2612	T2-2612	T3-2612	T4-2612

## Blank Die-Cut Labels\*

Create custom die-cut labels

- Recommended for indoor use only
- Resistant to water, most chemicals
- Matte vinyl
- Die-cut - peel & apply



	3" x 4"	4" x 6"	4" x 6"
<b>Yellow - rectangle</b>	T0304-02	T0406-10	—
<b>Red - rectangle</b>	—	—	T0406-15
<b>Green - rectangle</b>	—	—	T0406-16
Labels Per Roll	250	200	200

\* Premium Black Ribbon required for this supply

## Blank Outdoor Die-Cut Labels

Create industrial-strength die-cut labels for outdoor use

- Lasts 5 years outdoors
- Resistant to water, most chemicals, UV light
- Gloss vinyl
- Die-cut - peel & apply



	2" x 2"	2" x 3"	3" x 4"	4" x 6"
<b>White</b>	T0202-9ON	T0203-3ON	T0304-01ON	T0406-9ON
Labels Per Roll	500	500	250	200

## DuraChem Chemical Resistant Tape\*

Give labels an extra level of chemical resistance

- Resistant to strong solvents, chemicals, acetone
- Comply with FDA for indirect food contact
- Indoor & outdoor use



	0.5" x 90'	1" x 90'	2" x 90'	3" x 90'	4" x 90'
<b>White</b>	T05-01DC	T1-01DC	T2-01DC	T3-01DC	T4-01DC

\* DuraChem Ribbon required for this supply

## Clear Matte Poly Tape

Print clear matte labels for a professional look

- Non-reflective finish so surface colors show without glare
- Permanent pressure-sensitive adhesive
- Resistant to alcohol, petroleum



	1" x 70'	2" x 70'	3" x 70'	4" x 70'
<b>Clear</b>	T1-07P	T2-07P	T3-07P	T4-07P

## Dry Erase Tape

Write onto supply and re-write when information changes

- Bonds well to low-surface energy plastics & painted metals
- Use any dry erase marker to note temporary information; erase as needed



	1" x 94'	2" x 94'	3" x 94'	4" x 94'
<b>White</b>	T1-01DE	T2-01DE	T3-01DE	T4-01DE

## Metallized Poly Tape

Give signs and labels a brushed aluminum accent

- Brushed aluminum appearance
- Resistant to mild acids, alkalis, salt



	1" x 140'*	2" x 70'	3" x 70'	4" x 70'
<b>Brushed Aluminum</b>	2-T1-50	T2-50	T3-50	T4-50

\* Comes in a 2-pack of 70' per roll, for a total of 140'

# Standards Compliance

## HazMat Compliance

### GHS Labels\*

Communicate chemical hazards

- Comply with standards set by the UN & EU
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 4 red diamonds



	3" x 4.5"	4" x 6"
<b>1 Diamond</b>	T03045M-1I	T04060M-1I
<b>2 Diamonds</b>	T03045M-2I	T04060M-2I
<b>3 Diamonds</b>	T03045M-3I	T04060M-3I
<b>4 Diamonds</b>	T03045M-4I	T04060M-4I
Labels Per Roll	311	235

\* Premium Black Ribbon required for this supply

## HazCom 2012\*

Comply with OSHA hazardous chemical labeling standards

- Comply with standards established by OSHA
- Comply with British Standard (BS) 5609 for saltwater immersion
- 2.0 mil outdoor durable polyester
- Preprinted with up to 5 red diamonds



	3" x 4.5"	4" x 6"	4" x 11"
<b>1 Diamond</b>	T03045M-1D	T04060M-1D	T04110M-1D
<b>2 Diamonds</b>	T03045M-2D	T04060M-2D	T04110M-2D
<b>3 Diamonds</b>	T03045M-3D	T04060M-3D	T04110M-3D
<b>4 Diamonds</b>	T03045M-4D	T04060M-4D	T04110M-4D
<b>5 Diamonds</b>	T03045M-5D	T04060M-5D	T04110M-5D
Labels Per Roll	311	235	129

\* Premium Black Ribbon required for this supply

## Outdoor RTK Color Bar Labels

Communicate material hazards with RTK Color Bar labels

- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl



	2" x 2"	3" x 1.4375"	4" x 3.5"
<b>Outdoor RTK Color Bar Labels</b>	T0202-2ON	T0301-1ON	T04035-4ON
Labels Per Roll	500	500	250

## Outdoor RTK Diamond Labels\*

Alert workers to chemical hazards outdoors

- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl - peel & apply



	2" x 2"	3" x 5"	4" x 6"
<b>Outdoor RTK Diamond Labels</b>	T0202-1ON	T0305-1ON	T0406-1ON
Labels Per Roll	500	250	200

## Outdoor NFPA Labels\*

Alert workers to outdoor chemical hazards

- NFPA 704 compliant
- Lasts 5 years outdoors
- Resistant to water, most chemicals
- Die-cut gloss vinyl - peel & apply



	1" x 3"	2" x 2"	3" x 5"	4" x 6"
<b>Outdoor NFPA Labels</b>	T0103-NFPAON	T0202-NFPAON	T0305-NFPAON	T0406-NFPAON
Labels Per Roll	500	500	250	200

## Material Condition Tags

Military tags formatted to meet the requirements of MIL-STD-129 section 5.10.21

- 7.5 mil synthetic perforated rip-resistant tag stock
- Chemical, abrasion, and weather resistant
- Pre-punched hole for easy application



	3" x 5.5"
<b>DD Form 1574</b>	T3-DD1574A-DT
<b>DD Form 1574</b>	T3-DD1574B-DT
<b>DD Form 1575</b>	T3-DD1575A-DT
<b>DD Form 1576</b>	T3-DD1576A-DT
<b>DD Form 1577</b>	T3-DD1577A-DT
<b>DD Form 1577-2</b>	T3-DD1577B-DT
Tags Per Roll	250

## Materiel Condition Labels

Military labels formatted to meet the requirements of MIL-STD-129 section 5.10.21

- Tough 3.0 mil vinyl film provides lasting performance in harsh environments



	3" x 5.5"
<b>DD Form 1576-1</b>	T03054-06N
<b>DD Form 1577-3</b>	T03054-07N
<b>DD Form 1574-1</b>	T03054-08N
<b>DD Form 1574-1</b>	T03054-09N
<b>DD Form 1577-1</b>	T03054-10N
<b>DD Form 1575-1</b>	T03054-12N
Tags Per Roll	250

## Label Compliance

### UL 969 Compliant Poly Tape\*

Ensure labels comply with UL 969 requirements

- Strong, industrial adhesive
- Resistant to water, UV light, solvents
- 2.0 mil gloss polyester



	1" x 94'	2" x 94'	3" x 94'	4" x 94'
<b>White</b>	T1-01UL	T2-01UL	T3-01UL	T4-01UL
<b>Clear</b>	T1-03UL	T2-03UL	T3-03UL	T4-03UL
<b>Silver</b>	T1-06UL	T2-06UL	T3-06UL	T4-06UL

\* Premium Black Ribbon required for UL recognition

### Marine Label Tape\*

Make signs that can withstand saltwater immersion

- Comply with British Standard (BS) 5609 for saltwater immersion
- Withstands extreme saltwater spray
- Resistant to chemicals, UV light, abrasive handling



	1" x 95'	2" x 95'	3" x 95'	4" x 95'
<b>White</b>	T1-2001M	T2-2001M	T3-2001M	T4-2001M

\* Premium Black Ribbon required for this supply

### Metal-Detectable Tape

Detect label fragments to prevent contamination

- Permitted by FDA for indirect food contact (21 CFR §175.105)
- Easily locate with a metal detector
- Ideal for the food industry



	2" x 75'	4" x 75'
<b>White</b>	T2-01MD	T4-01MD

# Safety Compliance

## Arc Flash/OSHA Two-Color Vinyl Tape

Create OSHA-compliant Health & Safety signs quickly

- Specialty colors & sizes available
- Customize labels & signs with OSHA-approved colors
- Resistant to water, UV light, most chemicals
- 3.0 mil vinyl
- Works on surfaces up to 200°F

Chart sizes show supply width and height of stripe — for instance 3" x 1" supply is 3" tall supply with a 1" stripe.  
Supply rolls are 70' in length



	3" X 0.25"	3" X 0.5"	3" X 0.75"	3" X 1"	3" X 1.1875"
<b>Orange Stripe</b>	T3-4025	T3-4050	T3-4075	T3-4100	T3-4118
<b>Red Stripe</b>	T3-5025	T3-5050	T3-5075	T3-5100	T3-5118

	4" X 0.5"	4" X 0.75"	4" X 1"	4" X 1.1875"	4" X 1.5"
<b>Orange Stripe</b>	T4-4050	T4-4075	T4-4100	T4-4118	T4-4150
<b>Red Stripe</b>	T4-5050	T4-5075	T4-5100	T4-5118	T4-5150

## Outdoor Arc Flash, Health & Safety Labels

Alert workers to outdoor safety hazards

- OSHA/NFPA 70E/NEC/CSA Z462/ANSI compliant
- Lasts 5 years outdoors
- Resistant to chemicals, water, UV light
- Die-cut gloss vinyl - peel & apply



	4" x 6"
<b>⚠ CAUTION</b>	T0406-17ON
<b>⚠ PRECAUCIÓN</b>	T0406-17SON
<b>NOTICE</b>	T0406-6ON
<b>AVISO</b>	T0406-6SON
<b>⚠ WARNING</b>	T0406-7ON
<b>⚠ AVERTISSEMENT</b>	T0406-7FON
<b>⚠ ADVERTENCIA</b>	T0406-7SON
<b>⚠ DANGER</b>	T0406-8ON
<b>⚠ PELIGRO</b>	T0406-8SON
Labels Per Roll	200

# Special Adhesives

## Ultra-Aggressive Adhesive Vinyl Tape

Print labels that adhere to uneven materials, including plastics, concrete, brick, and wood.

- Stays in place for up to 7 years
- Indoor and outdoor use
- Resistant to chemicals
- For surfaces which may reach -65°F to 225°F



	1" x 150' *	2" x 150' *	3" x 150' *	4" x 150' *
<b>White</b>	2-T1-2601UA	2-T2-2601UA	2-T3-2601UA	2-T4-2601UA

\* Comes in a 2-pack of 75' per roll, for a total of 150'

## Aggressive Adhesive Vinyl Tape

Make labels that stand up to tough environments

- Ideal for tough, textured surfaces
- Pressure-sensitive adhesive
- Stick to sign blanks, flexible substrates, and painted metal



	1" x 150'	2" x 150'	3" x 150'	4" x 150'
<b>White</b>	T1-2600UA	T2-2600UA	T3-2600UA	T4-2600UA
<b>Black</b>	T1-2602UA	T2-2602UA	T3-2602UA	T4-2602UA
<b>Blue</b>	T1-2606UA	T2-2606UA	T3-2606UA	T4-2606UA
<b>Green</b>	T1-2607UA	T2-2607UA	T3-2607UA	T4-2607UA
<b>Yellow</b>	T1-2608UA	T2-2608UA	T3-2608UA	T4-2608UA
<b>Orange</b>	T1-2609UA	T2-2609UA	T3-2609UA	T4-2609UA
<b>Red</b>	T1-2610UA	T2-2610UA	T3-2610UA	T4-2610UA
<b>Brown</b>	T1-2612UA	T2-2612UA	T3-2612UA	T4-2612UA
<b>Gray</b>	T1-2631UA	T2-2631UA	T3-2631UA	T4-2631UA

## High-Tack Tape

Ensure lasting label adhesion

- Applies to low energy surfaces (plastic, metals, & paints)
- White is vinyl; silver & clear are polyester



	1" x 140' *	2" x 140' *	3" x 140' *	4" x 140' *
<b>White</b>	2-T1-3201HT	2-T2-3201HT	2-T3-3201HT	2-T4-3201HT

	1" x 94'	2" x 94'	3" x 94'	4" x 94'
<b>Clear</b>	T1-3HT	T2-3HT	T3-3HT	T4-3HT
<b>Silver</b>	T1-6HT	T2-6HT	T3-6HT	T4-6HT

\* Comes in a 2-pack of 70' per roll, for a total of 140'

## Oily Surface Tape

Create signs and labels that bond with oily surfaces

- Adheres to greasy, dirty surfaces
- Resistant to oil, gas, moisture



	0.5" x 95'	1" x 95'	2" x 95'	3" x 95'	4" x 95'
<b>White</b>	T0595-01OS	T195-01OS	T295-01OS	T395-01OS	T495-01OS

## Low-Halogen Label Tape

Protect stainless steel pipes from corrosion

- Adhesive contains low levels of halogen to help protect stainless steel alloys from corrosive damage
- Low profile polyester



	1" x 80'	2" x 80'	3" x 80'	4" x 80'
<b>White</b>	T1-4201	T2-4201	T3-4201	T4-4201
<b>Black</b>	T1-4202	T2-4202	T3-4202	T4-4202
<b>Green</b>	T1-4207	T2-4207	T3-4207	T4-4207
<b>Yellow</b>	T1-4208	T2-4208	T3-4208	T4-4208
<b>Orange</b>	T1-4209	T2-4209	T3-4209	T4-4209
<b>Red</b>	T1-4210	T2-4210	T3-4210	T4-4210
<b>Purple</b>	T1-4211	T2-4211	T3-4211	T4-4211
<b>Brown</b>	T1-4212	T2-4212	T3-4212	T4-4212
<b>Sky Blue</b>	T1-4218	T2-4218	T3-4218	T4-4218

## Iron-On Tape

Label fabric with a tough industrial label

- Washer & dryer safe
- Easy to apply with a household iron
- Hot melt adhesive bonds to fabric



	<b>1.5" x 100'</b>
<b>White</b>	T150-01100IOL

## Wire Marking

### Self-Laminating Wire Wraps

Organize and identify wires and cables

- Custom order colors/sizes available
- A clear tail wraps over the printed portion to help protect against chemicals & abrasion
- Resistant to water, oil, UV light, mild solvents

Chart sizes show supply width and height of printable area — for instance 1" x 0.25" supply is 1" tall supply with a 0.25" high printable strip. Supply rolls are 70' in length.



	<b>1" x 0.25"</b>	<b>2" x 0.5"</b>	<b>3" x 1"</b>	<b>4" x 1"</b>
<b>White</b>	T1-201	T2-201	T3-201	T4-201

	<b>1" x 0.25"</b>	<b>2" x 0.5"</b>	<b>3" x 1"</b>	<b>4" x 1"</b>
<b>Orange</b>	T1-201O	T2-201O	T3-201O	T4-201O
<b>Blue</b>	T1-201B	T2-201B	T3-201B	T4-201B
<b>Green</b>	T1-201G	T2-201G	T3-201G	T4-201G
<b>Magenta</b>	T1-201M	T2-201M	T3-201M	T4-201M
<b>Red</b>	T1-201R	T2-201R	T3-201R	T4-201R
<b>Yellow</b>	T1-201Y	T2-201Y	T3-201Y	T4-201Y

### Shrink-Tubing

Give wires and cables a professional-grade label

- Meets UL, CSA, & military requirements
- Ideal for wires & cable
- Flame retardant
- 3:1 shrink ratio



	<b>0.125" x 25'</b>	<b>0.1875" x 25'</b>	<b>0.25" x 25'</b>	<b>0.375" x 25'</b>	<b>0.5" x 25'</b>	<b>0.75" x 25'</b>	<b>1" x 25'</b>	<b>1.5" x 25'</b>
<b>White</b>	T0125-1	T01875-1	T025-1	T0375-1	T050-1	T075-1	T100-1	T150-1
<b>Yellow</b>	T0125-2	T01875-2	T025-2	T0375-2	T050-2	T075-2	T100-2	T150-2

	<b>0.375" x 25'</b>	<b>0.5" x 25' **</b>	<b>0.75" x 25' **</b>
<b>Red</b>	T0375-10	T050-10	T075-10
<b>Purple</b>	T0375-11	T050-11	T075-11
<b>Black</b>	T0375-15	T050-15	T075-15
<b>Gray</b>	T0375-4	T050-4	T075-4
<b>Blue</b>	T0375-6	T050-6	T075-6
<b>Green</b>	T0375-7	T050-7	T075-7
<b>Orange</b>	T0375-9	T050-9	T075-9

\* Premium White Ribbon required for Black Shrink-Tubing. All other colors use Shrink-Tubing Ribbon.

\*\* Requires manual cutting

## Nylon Label Tape

Label fabrics, wire, and other flexible surfaces

- Pliant label conforms to unusual shapes
- Maintains its shape, even after twisting



	<b>1" x 150'</b>	<b>2" x 150'</b>
<b>White</b>	T1-01N	T2-01N

## Electronics Labeling

### Circuit Board Polyimide Tape

Label electrical components even when surface temperatures reach extremes

- For surfaces which may reach -40°F to 350°F
- Resistant to wave soldering, acidic solvents
- Low profile polyimide



	<b>1" x 100'</b>
<b>White</b>	T1-01CB

### Electrostatic Dissipative Tape (ESD)

Prevent electronic damage caused by static charge

- Decreases risk of print voids and damage to electronics due to static discharge
- Strong industrial adhesive
- Resistant to solvents, UV light, oil



	<b>1" x 94'</b>	<b>2" x 94'</b>	<b>3" x 94'</b>	<b>4" x 94'</b>
<b>Silver</b>	T1-6ESD	T2-6ESD	T3-6ESD	T4-6ESD

## Security Labels

### Tamper-Evident Destructible Labels

Detect label tampering

- Tape crumbles like dry paint when tampering occurs
- Resistant to water, cleaning solution



	<b>1.875" x 0.75"</b>
<b>White</b>	T018075-TE
Labels Per Roll	250

### Tamper-Evident "Void" Tape

Reveal label changes to prevent tampering

- When removed, the word "VOID" is recorded onto both the surface & the label
- Resistant to water, cleaning solution



	<b>1" x 100'</b>	<b>2" x 100'</b>
<b>White</b>	T1-601	T2-601

# Repositionable Labels

## Repositionable Tape

Remove and reapply labels again and again

- Indoor & outdoor use
- Resistant to many chemicals & solvents
- Gloss vinyl



	0.5" x 280' *	1" x 280' *	2" x 140'	3" x 140'	4" x 140'
<b>White</b>	2-T05-701	2-T1-701	T2-701	T3-701	T4-701

\* Comes in a 2-pack of 140' per roll, for a total of 280'

## Static Cling Supply

This supply is perfect for custom temporary labeling tasks

- Material applies easily to a variety of smooth surfaces without the need for an adhesive, making it easy to remove
- Use it on windows, doors, and other smooth surfaces



	2" x 75' *	3" x 75' *	4" x 75'*
<b>Clear</b>	2-T2-112	2-T3-112	2-T4-112

\* Comes in a 2-pack of 140' per roll, for a total of 280'

## Magnetic Supply

Place on metal shelves or vehicles and move when needed

- Ideal for temporary labeling & signage on metal surfaces
- No surface damage
- Ideal for vehicles & equipment



	0.5" x 25'	1" x 25'	2" x 25'
<b>White</b>	T05-01M	T1-01M	T2-01M
<b>Black</b>	T05-02M	T1-02M	T2-02M
<b>Gray</b>	T05-04M	T1-04M	T2-04M
<b>Blue</b>	T05-06M	T1-06M	T2-06M
<b>Green</b>	T05-07M	T1-07M	T2-07M
<b>Yellow</b>	T05-08M	T1-08M	T2-08M
<b>Orange</b>	T05-09M	T1-09M	T2-09M
<b>Red</b>	T05-10M	T1-10M	T2-10M
<b>Purple</b>	T05-11M	T1-11M	T2-11M
<b>Brown</b>	T05-12M	T1-12M	T2-12M

# Tag Stock

## DuraTag™ (Tag Stock)

Create rugged tear-resistant tags that stand up to high temperatures

- Blank canvas for customization
- Resist heat up to 180°F
- Tear resistant, no grommets needed
- Attach with cable tie, chain, etc.
- Indoor & outdoor use
- Resistant to moisture, chemicals



	3" x 100'	4" x 100'
<b>White</b>	T3100-1L	T4100-1L
<b>Yellow</b>	T3100-2	T4100-2
<b>Red</b>	T3100-4	T4100-4
<b>Green</b>	T3100-5	T4100-5
<b>Orange</b>	T3100-10	T4100-10
<b>Light Blue</b>	T3100-11	T4100-11

## DuraTag™ LO/TO Tag Stock (Lockout/Tagout)

Grab attention with vivid red stripes

- Red candy striping with "Danger" header on one side
- Tear resistant, no grommets needed
- Attach with cable tie, chain, etc.
- Indoor & outdoor use
- Resistant to moisture, UV light, common chemicals
- Custom tags available



	Tags Per Roll	3" x 5"
 <b>Black/Red</b>	240	T0305-15

## High-Temp Tag Stock

Label surfaces up to 446°F

- Indoor & outdoor use
- Tear-resistant, repels oil & dirt
- Call 800.788.5572 for attachment options



	3" x 100'
<b>White</b>	T3100-1HT

# High Visibility

## Reflective Vinyl Tape

Make labels that stand out in low-light conditions

- Indoor & outdoor use
- Resistant to common chemicals
- Engineering grade reflective vinyl



	1" x 70'	2" x 70'	3" x 70'	4" x 70'
White	T1-101	T2-101	T3-101	T4-101
Yellow	T1-102	T2-102	T3-102	T4-102
Red	T1-104	T2-104	T3-104	T4-104
Green	T1-105	T2-105	T3-105	T4-105
Orange	T1-110	T2-110	T3-110	T4-110
Blue	T1-111	T2-111	T3-111	T4-111

## Prismatic Reflective Tape\*

Make your labels stand out in low-light conditions

- A high-intensity reflective material for marking vehicles, wayfinding, and more
- Exceeds ASTM D 4956 for types III and IV for reflectivity, shrinkage, flexibility, adhesion, impact resistance, and outdoor weathering.



	2"x60'	3"x60'	4"x60'
White	TMPFPR1-2001	TMPFPR1-3001	TMPFPR1-4001
Blue	TMPFPR1-2006	TMPFPR1-3006	TMPFPR1-4006
Green	TMPFPR1-2007	TMPFPR1-3007	TMPFPR1-4007
Yellow	TMPFPR1-2008	TMPFPR1-3008	TMPFPR1-4008
Orange	TMPFPR1-2009	TMPFPR1-3009	TMPFPR1-4009
Red	TMPFPR1-2010	TMPFPR1-3010	TMPFPR1-4010
Brown	TMPFPR1-2012	TMPFPR1-3012	TMPFPR1-4012

\* Petroleum Resistant Ribbon required for this supply

## Fluorescent HiViz Tape

Grab attention with bright fluorescent labels and signs

- Short-term, indoor use only
- Resistant to mild acids, mold, salt
- Low profile tape



	0.5" x 280' *	1" x 280' *	2" x 140'	3" x 140'	4" x 140'
Yellow	2-T05-36	2-T1-36	T2-36	T3-36	T4-36
Green	2-T05-62	2-T1-62	T2-62	T3-62	T4-62
Orange	2-T05-74	2-T1-74	T2-74	T3-74	T4-74

\* Comes in a 2-pack of 140' per roll, for a total of 280'

## Fluorescent Outdoor HiViz Tape

Capture attention with outdoor fluorescent signs

- Ideal for use in construction sites, industrial equipment warnings, etc.
- Thick label constructed for extended outdoor resistance



	1" x 50'	2" x 50'	3" x 50'	4" x 50'
Yellow	T1-36O	T2-36O	T3-36O	T4-36O
Green	T1-62O	T2-62O	T3-62O	T4-62O
Pink	T1-70O	T2-70O	T3-70O	T4-70O
Orange	T1-74O	T2-74O	T3-74O	T4-74O
Orange-Red	T1-78O	T2-78O	T3-78O	T4-78O
Red	T1-98O	T2-98O	T3-98O	T4-98O

## BoldGlo Phosphorescent Tape

Designate a safe emergency exit route

- Complies with many state and federal "Emergency Exit Sign" laws and standards
- Ideal for emergency exit labeling
- Glow-in-the-dark properties for up to 8 hours!
- Resistant to common chemicals
- Recommended for indoor use only
- Color: off white - glows green



	1" x 50'	2" x 50'	4" x 50'
<b>Glows Green</b>	T1-250	T2-250	T4-250

## Low/High Temperatures

### Cold Storage Tape

Create labels that withstand sub-zero temps

- For temperatures down to -65°F
- Indoor & outdoor use
- Pressure-sensitive acrylic adhesive



	1" x 200' *	2" x 100'	3" x 100'	4" x 100'
<b>White</b>	2-T1-301	T2-301	T3-301	T4-301
<b>Yellow</b>	2-T1-302	T2-302	T3-302	T4-302

\* Comes in a 2-pack of 100' per roll, for a total of 200'

### Cryogenic Labels

Create labels that survive the freezing process

- Resistant to liquid/vapor phase liquid nitrogen, dry ice deep freezes, autoclaving & more
- For temperatures of -320°F to 248°F



	0.75" x 0.75"	1" x 1"	1.25" x 0.5"	2" x 0.5"	2" x 1"	2" x 3"	4" x 1"	4" x 3"
<b>White</b>	T075075-1C	T1010-1C	T05125-1C	T0520-1C	T1020-1C	T3020-1C	T1040-1C	T3040-1C
Labels Per Roll	1000	1000	1000	1000	500	500	250	250

### LN2™ Poly Tape

Label extremely cold surfaces

- For temperatures of -112°F to 176°F
- Permanent acrylic adhesive
- Low profile polyester



	1" x 140'	2" x 140'
<b>Clear</b>	T1-03CT	T2-03CT

### Extreme High-Temp Poly Tape

Print labels that withstand the most extreme temperatures

- Withstands temperatures as high as 350°F
- Pressure-sensitive acrylic adhesive



	.5" x 100'	1" x 100'	1.5" x 50'	2" x 50'	3" x 50'
<b>White</b>	T05-01IP	T1-01IP	T150-01IP	T2-01IP	T3-01IP

## High-Temp Poly Tape

Print labels that withstand very hot or cold temperatures

- For temperatures of -40°F to 300°F
- Sticks to cold & hot surfaces
- Low surface energy adhesive



	1" x 300' *	2" x 150'	3" x 150'	4" x 150'
<b>White</b>	2-T1-801	T2-801	T3-801	T4-801

	1" x 70'	2" x 70'	3" x 70'	4" x 70'
<b>Yellow</b>	T1-802	T2-802	T3-802	T4-802
<b>Black</b>	T1-805	T2-805	T3-805	T4-805
<b>Blue</b>	T1-806	T2-806	T3-806	T4-806
<b>Orange</b>	T1-809	T2-809	T3-809	T4-809
<b>Red</b>	T1-810	T2-810	T3-810	T4-810

\* Comes in a 2-pack of 150' per roll, for a total of 300'

## Floor Marking

### DuraPav Floor Marking Tape

Mark outdoor concrete or asphalt

- Print directly onto tape
- Ideal for areas where aggressive adhesive is needed
- 3-year outdoor durability; 5-year outdoor durability when used with Floor Marking Overlaminates



	0.5" x 140' *	1" x 140' *	2" x 70'	3" x 70'	4" x 70'
<b>White</b>	2-T0570-01DP	2-T170-01DP	T270-01DP	T370-01DP	T470-01DP

\* Comes in a 2-pack of 70' per roll, for a total of 140'

### Printable Floor Marking Tape

Extend your safety message to the floor

- Print directly onto tape
- Resistant to common light, moderate wash-down chemicals
- Increase life of printed message - use with our Floor Marking Overlaminates



	0.5" x 140'	1" x 140'	2" x 140'	3" x 140'	4" x 140'
<b>White</b>	TPFMT105140	TPFMT110140	TPFMT120140	TPFMT130140	TPFMT140140
<b>Black</b>	TPFMT205140	TPFMT210140	TPFMT220140	TPFMT230140	TPFMT240140
<b>Gray</b>	TPFMT405140	TPFMT410140	TPFMT420140	TPFMT430140	TPFMT440140
<b>Blue</b>	TPFMT605140	TPFMT610140	TPFMT620140	TPFMT630140	TPFMT640140
<b>Green</b>	TPFMT705140	TPFMT710140	TPFMT720140	TPFMT730140	TPFMT740140
<b>Yellow</b>	TPFMT805140	TPFMT810140	TPFMT820140	TPFMT830140	TPFMT840140
<b>Orange</b>	TPFMT905140	TPFMT910140	TPFMT920140	TPFMT930140	TPFMT940140
<b>Red</b>	TPFMT1005140	TPFMT1010140	TPFMT1020140	TPFMT1030140	TPFMT1040140
<b>Brown</b>	TPFMT1205140	TPFMT1210140	TPFMT1220140	TPFMT1230140	TPFMT1240140

### Floor Marking Overlaminates

Place this supply over Printable Floor Marking Tape or DuraPav Floor Marking Tape to increase their lifespan. Use 2" overlaminates for 1/2" - 1" tape, 3" overlaminates for 2" tape, 4" overlaminates for 3" tape, or 5" overlaminates for 4" tape.



	2" x 140'	3" x 140'	4" x 140'	5" x 140'
<b>Clear</b>	L320140	L330140	L340140	L350140

# Ribbons

## Premium Ribbons

Print lasting text and graphics with "fine-print" definition

- Thermal transfer ribbons (TTR), suitable for the most demanding applications
- Resistant to UV light, moisture, abrasion, most chemicals



		4" x 361'
	<b>Black</b>	M431110
	<b>White</b>	M431111
	<b>Yellow</b>	M431118
	<b>Green</b>	M431121
	<b>Orange</b>	M431122
	<b>Red</b>	M431123
	<b>Blue</b>	M431124

## Petroleum Resistant Ribbon

Print onto signs and labels meant for oily environments

- Improved chemical resistance
- Resin-based ink lasts even when exposed to petroleum-based liquids



		4" x 361'
	<b>Black</b>	M431120

## Extreme Chemical Resistant Ribbon

Ensure labels survive exposure to harsh chemicals

- Our most abrasion-resistant ribbon
- Resistant to alcohol, oil, mineral spirits, hydraulic fluid, lubricating oil, & 5% salt water



		4" x 298'
	<b>Black</b>	M431136-1

## Shrink-Tubing Ribbon

Obtain peak performance from shrink-tubing supply

- Use with Shrink-Tubing Supply
- Meets UL, CSA & military requirements



		4" x 361'
	<b>Black</b>	M431140

## DuraChem Ribbon

Print signs and labels that can stand up to chemicals

- Designed for use with DuraChem Chemical Resistant Tapes
- Best choice for chemical resistance, even resistant to acetone



		4" x 361'
	<b>Black</b>	M431133

# Ribbon Compatibility Chart

Use the following chart to find the best ribbon to go with your supply. Please feel free to call us with questions. We will help ensure you receive everything you need for your labeling/signage project.

## KEY

**REQ** = REQUIRED  
**REC** = RECOMMENDED  
**COM** = COMPATIBLE  
**N/C** = NOT COMPATIBLE  
**N/R** = NOT RECOMMENDED

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Red	Premium Green	Premium Blue	Premium Yellow	Premium Orange	DuraChem	Shrink-Tubing	Bright Silver	Bright Gold
Aggressive Adhesive	COM*	COM	COM*	COM*	COM*	COM*	COM*	COM*	COM*	N/C	N/C	COM*	N/C
Arc Flash/OSHA Two-Color Vinyl	COM	COM	COM	N/C	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Blank Die-Cut	COM*	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Blank Outdoor Die-Cut	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	COM*	COM*
BoldGlo Phosphorescent/Phosphorescent	COM	COM*	COM	COM*	COM	N/C	COM	COM	COM	N/C	N/C	COM*	COM*
Circuit Board Polyimide	COM	COM*	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	COM*
Clear Matte Poly	COM	COM*	N/C	COM*	COM	COM*	COM*	COM	COM	N/C	N/C	COM*	COM*
Cold Storage (White)	COM	COM*	COM	N/R	COM*	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Cold Storage (Yellow)	COM	COM*	N/C	COM*	COM*	N/C	COM*	N/C	COM*	N/C	N/C	COM*	COM*
Cryogenic Labels	COM	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Dry Erase Tape	COM	N/C	COM	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
DuraChem Chemical Resistant	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	REQ	N/C	N/C	N/C
DuraPav	COM	COM*	COM	N/R	COM	COM*	COM*	COM	COM	N/C	N/C	N/C	N/C
DuraTag (Colors)	COM	COM*	N/C	COM*	COM	COM*	COM	N/C	COM	N/C	N/C	N/C	COM*
DuraTag (White)	COM	COM*	N/C	N/R	COM	COM*	COM	COM	COM	N/C	N/C	N/C	N/C
DuraTag LO/TO Tag Stock	COM	COM	N/C	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
Electrostatic Dissipative (ESD)	COM	N/C	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
Extended-Life Vinyl	COM	COM	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*
Extreme High Temp Poly	COM	COM*	N/C	N/R	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Fluorescent HiViz	COM	COM	COM	COM*	COM	N/C	COM	COM	COM	N/C	N/C	COM*	COM*
Fluorescent Outdoors HiViZ	COM	COM	N/C	COM*	COM	N/C	COM	COM	COM	N/C	N/C	N/C	N/C
GHS/HazCom 2012	COM	N/C	N/C	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
High-Tack	COM	COM*	COM*	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
High-Temp Poly	COM	N/C	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C

COM\* = Compatible in positive print mode only

	Premium Black	Petroleum Resistant	Extreme Chem Resistant	Premium White	Premium Red	Premium Green	Premium Blue	Premium Yellow	Premium Orange	DuraChem	Shrink-Tubing	Bright Silver	Bright Gold
High-Temp Tag Stock	COM	N/C	N/C	N/R	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Iron-On	COM*	N/C	N/C	N/C	COM*	N/C	N/C	N/C	N/C	N/C	N/C	COM*	COM*
LN2 Poly	COM	COM*	N/C	COM*	COM*	N/C	COM	COM*	COM*	N/C	N/C	N/C	N/C
Low-Halogen	COM*	N/C	N/C	N/R	N/C	COM*	COM*	COM*	COM*	N/C	N/C	COM*	COM*
Low-Halogen (Colors)	COM*	N/C	N/C	COM*	N/C	N/C	COM*	COM*	COM*	N/C	N/C	COM*	COM*
Magnetic (Colors)	COM*	COM*	N/C	COM*	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Magnetic (White)	COM*	COM*	N/C	N/R	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Marine Label Tape	COM	N/C	N/C	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
Material Condition Tags/Labels	COM	COM	N/C	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
Metal-Detectable	COM	COM*	COM	N/C	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM
Metallized Poly	COM	COM*	N/C	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Nylon Label	COM*	N/C	N/C	N/C	N/C	COM	N/C	N/C	N/C	N/C	N/C	N/C	N/C
Oily Surface	COM	COM	COM*	N/C	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Outdoor Arc Flash, Health & Safety Labels	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Outdoor NFPA Diamond/Outdoor RTK Diamond Labels	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Outdoor RTK Color Bar Labels	COM	N/C	COM	N/C	N/C	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Premium Vinyl	COM	COM*	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Printable Floor Marking Tape	COM	COM	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*
Prismatic Reflective	COM*	COM*	COM*	N/C	COM*	COM*	COM*	COM*	COM*	N/C	N/C	N/C	N/C
Reflective Vinyl	COM	COM	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM	COM*
Repositionable	COM	COM*	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Self-Laminating Wire Wraps	COM	COM	COM	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM	COM
Static Cling	COM	COM*	N/C	COM*	COM	COM	COM	COM	COM	N/C	N/C	COM*	N/C
Shrink-Tubing	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	N/C	REQ	N/C	N/C
Tamper-Evident "VOID"	N/C	N/C	COM*	N/R	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*
Tamper-Evident Destructible	COM	N/C	COM*	N/R	COM	COM	COM	COM	COM	N/C	N/C	N/C	COM*
UL 969 Compliant Poly	REQ	N/C	COM	N/C	COM	COM	COM	COM	COM	N/C	N/C	N/C	N/C
Ultra-Aggressive Adhesive	COM	N/C	COM*	N/C	COM	COM	COM	COM	COM	N/C	N/C	COM*	COM*

COM\* = Compatible in positive print mode only

# Accessories

## Sign Making

### Sign Blanks

The ideal rigid surfaces for ensuring your labels are portable and provide an ideal surface for adhering printed media. With Supplied with attachment holes in each corner (except corrugated plastic), sign blanks can easily be hung on walls or secured to a variety of surfaces. Multiple labels can be affixed to sign blanks, adding to their usefulness.



1-Way Plastic Sign



2-Way Plastic Sign



3-Way Plastic Sign

Sign Type	Description	Size	QTY	SKU
<b>1-Way White Plastic</b>	<ul style="list-style-type: none"> <li>Flat one-sided for viewing from one direction</li> <li>Attach with zip ties, screws or nails</li> <li>Semi-rigid white plastic – indoor/outdoor use</li> </ul>	<b>7.625" x 10.25"</b>	10PK	790710-1
		<b>10" x 14"</b>	10PK	751014-1
<b>2-Way Translucent Plastic</b>	<ul style="list-style-type: none"> <li>Flat two-sided for viewing from two directions</li> <li>Ideal for posting in hallways where sign view is limited</li> <li>Durable translucent white plastic – indoor/outdoor use</li> </ul>	<b>4" x 18"</b>	EACH	720418-1
<b>3-Way Translucent Plastic</b>	<ul style="list-style-type: none"> <li>3-dimensional v-shaped for viewing from multiple angles</li> <li>Allows safety signs to be seen from 180°</li> <li>Durable translucent white plastic – indoor/outdoor use</li> </ul>	<b>7" x 15.5"</b>	EACH	730715-1
		<b>7.5" x 12"</b>	EACH	737512-1
<b>Corrugated Plastic</b>	<ul style="list-style-type: none"> <li>Ideal for temporary mounting locations</li> <li>Tough corrugation for thickness without extra weight</li> <li>Corrugated plastic signs are not pre-drilled; call for mounting options</li> </ul>	<b>5" x 7"</b>	EACH	790507-1CP
		<b>6" x 9"</b>	EACH	790609-1CP
		<b>7" x 10"</b>	EACH	790710-1CP
		<b>9" x 12"</b>	EACH	790912-1CP
		<b>10" x 14"</b>	EACH	751014-1CP
<b>Aluminum</b>	<ul style="list-style-type: none"> <li>Strong, lightweight for use in difficult-to-label locations</li> <li>Pre-drilled holes to hang with zip ties, nails or screws</li> <li>Made from thin .025" white aluminum</li> <li>Call for additional sizes</li> </ul>	<b>5" x 7"</b>	5PK	790507-1AL
		<b>6" x 9"</b>	5PK	790609-1AL
		<b>7" x 10"</b>	5PK	790710-1AL
		<b>8" x 12"</b>	5PK	790812-1AL
		<b>10" x 14"</b>	5PK	751014-1AL
<b>Reflective Aluminum</b>	<ul style="list-style-type: none"> <li>Reflective surface increases visibility in low-light conditions</li> <li>0.04" aluminum sign backing</li> <li>Indoor and outdoor use</li> <li>Use with clear vinyl, allowing the reflective surface of the sign blank to show through</li> <li>Pre-drilled 1/4" holes at corners for mounting</li> </ul>	<b>5" x 7"</b>	EACH	790507-1R
		<b>6" x 9"</b>	EACH	790609-1R
		<b>6" x 18"</b>	EACH	790618-1R
		<b>6" x 24"</b>	EACH	790624-1R
		<b>7" x 10"</b>	EACH	790710-1R
		<b>8" x 12"</b>	EACH	790812-1R
		<b>10" x 14"</b>	EACH	751014-1R
		<b>12" x 18"</b>	EACH	751218-1R
		<b>12" x 24"</b>	EACH	751224-1R
		<b>14" x 20"</b>	EACH	751420-1R
		<b>18" x 24"</b>	EACH	751824-1R
		<b>20" x 20"</b>	EACH	752020-1R
		<b>20" x 28"</b>	EACH	752028-1R
		<b>24" x 24"</b>	EACH	752424-1R
		<b>24" x 36"</b>	EACH	752436-1R
<b>24" x 48"</b>	EACH	752448-1R		
<b>30" x 30"</b>	EACH	753030-1R		
<b>36" x 36"</b>	EACH	753636-1R		



# Pipe Marking

## Ammonia Pre-Printed Color Markers

Ammonia pipe marking is easier with the convenience of these pre-printed markers. Choose from vapor, liquid, high pressure or low pressure, each in a pack of 50. Select the size that matches the width of your pipe label, or keep a variety of options on hand.



		0.5" x 1"	0.75" x 1"	1" x 2"	1.5" x 3"	2" x 4"
<b>Red</b>	"HIGH" Ammonia Color Bands (50 pack)	SPL1050-HIGH	SPL1075-HIGH	SPL2100-HIGH	SPL3150-HIGH	SPL4200-HIGH
<b>Orange</b>	"LIQ" Ammonia Color Bands (50 pack)	SPL1050-LIQ	SPL1075-LIQ	SPL2100-LIQ	SPL3150-LIQ	SPL4200-LIQ
<b>Yellow</b>	"LIQ" Ammonia Color Bands (50 pack)	SPL1050-LIQY	SPL1075-LIQY	SPL2100-LIQY	SPL3150-LIQY	SPL4200-LIQY
<b>Green</b>	"LOW" Ammonia Color Bands (50 pack)	SPL1050-LOW	SPL1075-LOW	SPL2100-LOW	SPL3150-LOW	SPL4200-LOW
<b>Sky Blue</b>	"VAP" Ammonia Color Bands (50 pack)	SPL1050-VAP	SPL1075-VAP	SPL2100-VAP	SPL3150-VAP	SPL4200-VAP

## Stand-Off Pipe Marking Sign Blanks

- Made from 0.040" thick aluminum
- Includes two mounts for securing the sign blank to the pipe
- Clamps to secure the Stand-Off Pipe Markers are sold separately (below)



	3" x 15"	4" x 27"	5" x 35"
<b>Blue</b>	790315-06AL	790427-06AL	790535-06AL
<b>Green</b>	790315-07AL	790427-07AL	790535-07AL
<b>Yellow</b>	790315-08AL	790427-08AL	790535-08AL
<b>Orange</b>	790315-09AL	790427-09AL	790535-09AL
<b>Red</b>	790315-10AL	790427-10AL	790535-10AL
<b>Brown</b>	790315-12AL	790427-12AL	790535-12AL

## Stand-Off Pipe Marker Clamp Kit

- Use in combination with Stand-Off Pipe Marker sign blanks (above)
- Includes 8.5' steel banding and hardware for up to 3 clamps
- Diameter: minimum 3", maximum 2.5'



	SKU	PRICE
<b>Stand-Off Pipe Marker Clamp Kit</b>	B-4000	\$20.99

## Pipe Grabber™ Sleeves

- Excellent for marking greasy, contaminated, and insulated pipes
- Clear plastic sleeve curls into place over the pipe, providing a smooth surface for label adhesion



Size	.5" x 10"	1" x 9"	1.5" x 9"	2" x 12"	3" x 12"	4" x 18"
<b>Pipe Diameter</b>	.5" to .75"	1.0" to 1.5"	1.5" to 2.3"	2.0" to 3.0"	3.0" to 4.0"	4.0" to 5.2"
<b>SKU</b>	5005010	501009	515009	502012	503012	504018

## Heavy-Duty Valve Tags

- Great for color-coding valves; provides a rigid, color-coded base for labels
- Mounting holes to hang with ties
- Highly UV and scratch resistant, while resisting temperatures up to 225F
- Indoor and outdoor use
- Quantity: 10 per pack



	2.25" x 3.75"	3.375" x 4.75"
<b>White</b>	760204-1HD	760305-1HD
<b>Yellow</b>	760204-2HD	760305-2HD
<b>Red</b>	760204-4HD	760305-4HD
<b>Green</b>	760204-5HD	760305-5HD
<b>Orange</b>	760204-10HD	760305-10HD
<b>Blue</b>	760204-11HD	760305-11HD
<b>Black</b>	760204-15HD	760305-15HD

## Cable Ties

- Use in combination with Slot Punch (shown below) and DuraTag to create pipe markers
- Quantity: 10 per pack



Size	30"	36"	48"	60"
SKU	CABLE-30	CABLE-36	CABLE-48	CABLE-60

## Slot Punch

- Use in combination with Cable Ties (shown above) and DuraTag to create pipe markers
- To create pipe markers, punch holes in all four corners of DuraTag stock and secure to pipe with cable ties



	SKU
Slot Punch	SLOT-P

## Pipe Label Applicator

- Label hard-to-reach pipes without climbing a ladder
- Mark pipes up to 20' from the ground with an optional extension pole
- Stay safe with non-conductive extension pole
- Extension poles include non-slip grip for added comfort



	SKU
Applicator with standard 4'-8' Pole	GP-PLA
Extension Pole 8'-15'	GP-PLAP815

## Miscellaneous

### Anti-Graffiti Overlaminates

- Ideal for exterior signage that is easily accessible by the general public
- Use rubbing alcohol or mineral spirits to easily remove permanent marker and spray paint graffiti (do not use Acetone or Methyl Ethyl Ketones to clean graffiti)
- Lasts up to ten years outdoors
- Laminate should overlap label by .5" on all sides (if a label/sign measures 4"x6", a 5"x7" laminate should be used)



Size	2" x 50'	3" x 50'	4" x 50'	5" x 50'	7" x 50'	8" x 50'	9" x 50'	10" x 50'
SKU	250-0-AG	350-0-AG	450-0-AG	550-0-AG	750-0-AG	850-0-AG	950-0-AG	1050-0-AG

### Clear Overlaminates (Protective Tapes)

- Heavy-duty overlaminate provides a permanent seal that protects the label both indoors and outdoors
- Excellent UV barrier
- Long-lasting permanent adhesive increases the life span of your labels



	.5" x 108'	1.5" x 108'	2.5" x 108'	3.75" x 108'	4.75" x 108'
Clear	7050-12	715-12	7250-12	7375-12	7475-12

### Label Dispenser/Cutter

- Stores multiple continuous or die-cut rolls
- Serrated blade offers clean, reliable cutting
- Peeler bar helps remove the liner from die-cut label as individual labels are removed



	SKU
Label Dispenser/Cutter – 6" wide	6-DISPEN
Label Dispenser/Cutter –12" wide	12-DISPEN

## EZ-ON Label Application Kit

- Included items: 32 fl. oz. bottle of EZ-ON label application solution, 4" blue label squeegee and instructions
- Use the EZ-ON solution and label squeegee for bubble and wrinkle-free label application



	SKU
<b>EZ-ON Label Application Kit</b>	DLP-LAK
<b>Large EZ-ON Label Application Kit</b>	DL79-LAK

## Write-On LOTO Tags

- Indoor and outdoor use; repels dirt and oil
- Perforated lockout/tagout tags on a roll
- Red/white stripes preprinted on both sides
- Pre-rounded corners and a mounting hole; simply attach with zip tie
- Includes space to write name, department and expected completion of LOTO project



	Qty. 100	Qty. 250
<b>Red/White DANGER Write-On LOTO Tags</b>	703506-5A	703506-5B

## Seallt! Pen

- Functions like a regular felt tip pen
- Pen contains clear acrylic which, when applied to the edges of a label, will prevent contamination from entering the adhesive.



	SKU
<b>Seallt! Pen</b>	GP-SIP

## 5S Cart

- Create a mobile station to keep needed supplies close at hand for all tasks – perfect for 5S
- Cart dimensions: 24"W x 18"D x 40.5"H
- 2.75" deep tubs keep items contained while moving cart; shelf clearance: 12"
- Push-handle molded into top-shelf for durability
- 4" casters, two with locking brake to keep cart in place while in use
- Lifetime warranty
- Easy assembly with included rubber mallet

Printer and supplies not included.



	SKU
<b>5S Cart</b>	5S-CART

## 5S Cart Pegboard

- Use in conjunction with 5S cart (available separately - shown above) for additional storage
- Dimensions: 24"W x 30"H
- Includes 12 hooks that can be positioned anywhere on the board, accommodating the supply needs of your organization.

Supplies not included.



	SKU
<b>5S Cart Pegboard</b>	5S-024

## 5S Cart With Lockable Cabinet

- Metal 5S cart with 20 gauge steel lockable cabinet to keep supplies free of debris and secure
- Dimensions: 24"W x 18"D x 24"-42"H (adjusts in 2" increments)
- 18.75" x 11.75" keyboard tray included
- Color: black
- 3 outlet power strip w/ 15' cord
- .25" retaining lip around each shelf to ensure items remain on the cart while in motion
- 4" casters, two with locking brake
- Lifetime warranty
- Includes rubber safety mat for top shelf










Printer not included.



	SKU
<b>5S Cart With Lockable Cabinet</b>	5S-CARTM

## Bumper Guards

Safeguard against dangerous overhangs, sharp corners and protruding edges with highly visible industrial grade cushioned bumper guards. Recyclable polyurethane foam with bright eye-catching colors and designs, together with an aggressive adhesive, provides immediate identification of hazards while provide a means to protect against them. Offered in a variety of shapes and sizes providing the flexibility to meet the needs of any facility.

		Type	Size	SKU	Color	
		<b>90° Circular Bumper Guard</b>	1-9/16" x 39-3/8"	C190-BY	Black/Yellow	
				C190-RP	Red/Phosphorescent (Off White)	
				C190-BP	Black/Phosphorescent (Off White)	
				C190-BF	Black/Fluorescent (Phosphorescent)	
		<b>Flat Circular Bumper Guard</b>	1-9/16" x 39-3/8"	C1FT-BY	Black/Yellow	
				C1FT-BP	Black/Phosphorescent (Off White)	
				C1FT-BF	Black/Fluorescent (Phosphorescent)	
		<b>Semi-Circle Circular Bumper Guard</b>	2" x 39-3/8"	C1SC-BY	Black/Yellow	
		<b>90° Rectangular Bumper Guard</b>	1" x 1" x 39-3/8"	R190-BY	Black/Yellow	
		<b>Slotted Rectangular Bumper Guard</b>	1-1/16" x 1-1/4" x 39-3/8"	R1SL-BY	Black/Yellow	
		<b>Flat-Small Rectangular Bumper Guard</b>	1-9/16" x 7/16" x 39-3/8"	R1FT-BY	Black/Yellow	
		<b>Flat-Medium Rectangular Bumper Guard</b>	2" x 13/16" x 39-3/8"	R2FT-BY	Black/Yellow	
		<b>Flat-Large Rectangular Bumper Guard</b>	2-7/8" x 13/16" x 39-3/8"	R3FT-BY	Black/Yellow	
		<b>2D Corner Bumper Guard</b>	1-7/8" x 1-1/2"	2DCR-BK	Black	
		<b>3D Corner Bumper Guard</b>	1-7/8" x 1-7/8" x 1-1/2"	3DCR-BK	Black	

Product prices, specifications, and availability are subject to change without notice.